

Invitational World Youth Mathematics Intercity Competition

Individual Contest



English Version



Invitational World Youth Mathematics Intercity Competition

Individual Contest							
Time limit: 120 minutes		27 th July 2010	Incheon, Korea				
.m:	Name:	No.:	Score:				
Section A. In this section, there are 12 questions. Fill in the correct answer in the space provided at the end of each question. Each correct answer is worth 5 points. 1. Real numbers p, q, r satisfy the equations $p+q+r=26$ and $\frac{1}{p} + \frac{1}{q} + \frac{1}{r} = 31$. Find the							
	value of $\frac{p}{q} + \frac{q}{r} + \frac{r}{p} + \frac{p}{r} + \frac{r}{q} + \frac{q}{p}$.	Ar	nswer:				
2.	At a charity dinner, each person consumed half a plate of rice, a third of a plate of vegetables and a quarter of a plate of meat. Overall, 65 plates of food were served. What is the number of people at the charity dinner ?						
		Ar	nswer:				

How many triples (x, y, z) of positive integers satisfy $xyz = 3^{2010}$ and 3. $x \le y \le z < x + y$?

Team:

Answer :

4. E is a point on the side BC of a rectangle ABCD such that if a fold is made along AE, as shown in the diagram below, the vertex B coincides with a point F on the side CD. If AD = 16 cm and BE = 10 cm, what is the length of AE, in cm?



Answer: cm

What is the smallest four-digit number which has exactly 14 positive divisors 5. (including 1 and itself), such that the units digit of one of its prime divisors is 3?

Answer :

6. Let f(x) be a fourth-degree polynomial. f(t) stands for the value of this polynomial while x=t. If f(1) = f(2) = f(3) = 0, f(4) = 6, f(5) = 72, what's the last digit of the value of f(2010)?

Answer :

7. A square *ABCD* circumscribed a circle and two semicircles each with radius 1 cm. As shown in the diagram, the circle and two semicircles touch each other, and two sides of the square touch the circle also. Find, in cm², the area of the square *ABCD*.



Answer: $___cm^2$

8. Let *p* and *q* be prime numbers such that $p^3 + q^3 + 1 = p^2 q^2$. What is the maximum value of p + q?

Answer :

- 9. The sum of *n* positive integers, not necessarily distinct, is 100. The sum of any 7 of them is less than 15. What is the minimum value of *n*?
- Answer : _____ 10. *P* is a point inside triangle *ABC* such that $\angle ABP = 20^\circ$, $\angle PBC = 10^\circ$, $\angle ACP = 20^\circ$ and $\angle PCB = 30^\circ$. Determine $\angle CAP$, in degree.

Answer:

11. A farmer has 100 pigs and 100 chickens. He has four yards each having square shape and forming together 2×2 grid. Farmer wants to distribute his animals into the yards in such way that first row has 120 heads, second row has 300 legs and first column has 100 heads, second column has 320 legs. How many different ways of doing this?



Answer : ways

12. An animal shelter consists of five cages in a row, labelled from left to right as shown in the diagram below. There is one animal in each cage.

Red	Silver	Brown	White	Gray
Wolf	Lion	Fox	Cow	Horse

The five animals are indeed a wolf, a lion, a fox, a cow and a horse, and their colours are indeed red, silver, brown, white and gray. However, none of the labels matches any of the animals (For instance, the wolf is not red). Moreover, no animal is in or next to a cage whose label either matches its type or its colour. If the horse is not in the middle cage, what is the colour of the horse? (Note : Write **R** for red, **S** for silver, **B** for Brown, **W** for white and **G** for Gray.)

Answer :

Section B.

Answer the following 3 questions, and show your detailed solution in the space provided after each question. Each question is worth 20 points.

1. Point *A* and *B* lie on the sides of a square, segment *AB* divides the square into two polygons each of which has an inscribed circle. One of the circles has radius 6 cm while the other one is larger. What is the difference, in cm, between the side length of the square and twice the length of segment *AB* ?

2. A small bag of candy contains 6 pieces. A medium bag of candy contains 9 pieces. A large bag of candy contains 20 pieces. If we buy candy in bags only, what is the largest number of pieces of candies which we cannot obtain exactly?

3. There is a list of numbers $a_1, a_2, ..., a_{2010}$. For $1 \le n \le 2010$, where *n* is positive integer, let $S_n = a_1 + a_2 + \dots + a_n$. If $a_1 = 2010$ and $S_n = n^2 a_n$ for all *n*, what is the value of a_{2010} ?